AMENDMENTS TO THE CLAIMS

3

- 1-2. (Cancelled).
- 3. (Currently Amended) The kit of claim 1 A kit for activating gene transfer, said kit comprising a gene transfer activating compound, packaged in a suitable container together with instructions for use to activate gene transfer wherein said gene transfer compound is selected from the group consisting of:

wherein Q is nitrogen or oxygen, wherein each occurrence of R^1 independently is H, CH₃, CH₂CH₃ or a nullity, wherein R^2 is C_1 - C_{18} alleyl, C_2 - C_{18} ether, C_2 - C_{18} thioether, C_2 - C_{18} secondary or tertiary amine,

wherein A is

wherein R^3 is H, C_1 - C_6 alkyl, or a heteroatom substituted C_1 - C_6 alkyl where the heteroatom is oxygen, nitrogen, or sulfur, wherein R^4 is C_2 - C_6 amide, or =N- R^5 where R^5 is C_7 - C_{12} aryloxyl, C_1 - C_6 hydronyl, carbonyl, carboxyl, or acyl, imidazyl, pyrazyl, thiazyl, or oxazyl, wherein X is H. F. C1 or B1, wherein Z1 is oxygen or sulfur.

- (Currently Amended) The kit of claim [[1]] 3 wherein said gene transfer compound is bouvardin.
 - 5. (Original) The kit of claim 3 wherein said gene transfer compound is that of

6. (Original) The kit of claim 3 wherein said gene transfer compound is that of

structure I, wherein A and each occurrence of Q together are

- 7. (Original) The kit of claim 3 wherein said gene transfer compound is that of structure II wherein Q is nitrogen and R^2 is C_1-C_{18} alkyl.
 - 8. (Original) The kit of claim 7 wherein R⁴ is =N-R⁵.
 - 9. (Original) The kit of claim 7 wherein X is Cl or Br.
 - 10. (Original) The kit of claim 3 wherein said gene transfer compound is that of

structure III wherein Q in each occurrence together are RV

- (Original) The kit of claim 10 wherein said gene transfer compound is that of structure II or VII wherein each occurrence of R¹ is H, or CH₃.
- (Original) The kit of claim 3 wherein said gene transfer compound is that of structure V wherein Q in each occurrence is oxygen.

 (Original) The kit of claim 3 wherein said gene transfer compound is that of structure VI wherein Q in each occurrence is oxygen.

- 14. (Original) The kit of claim 13 wherein A is
- 15. (Original) The kit of claim 3 wherein said gene transfer compound is that of structure VII wherein Q in each non-aromatic substituent occurrence is oxygen.
 - 16. (Original) The kit of claim 15 wherein R¹ in each occurrence is H.
- 17. (Currently Amended) The kit of claim 3 wherein said compound is selected from the group consisting of: NSC73609, NSC82090, NSC101492, NSC103821, NSC106191, NSC108613, NSC109325, NSC128720, NSC143491, NSC259968, NSC373989 and NSC675865

1-(5-chloro-2-hydroxyphenyl)-3-(3-pyridinyl)-1,3-propanedione;

N-(4-(bis(2-chloroethyl)amino)benzylidene)-1,3-thiazol-2-amine;

2-((4-(bis(2-chloroethyl)amino)benzylidene)amino)benzoic acid:

2-((4-(bis(2-chloroethyl)amino)-2-methylbenzylidene)amino)ethanol;

1-Tetradecylarsonic acid;

4-(4-(bis(2-chloroethyl)amino)phenyl)-N,N-dimethylbutanamide;

 N^{1} -(2-fluoro-9-acridinyl)- N^{3} , N^{3} -dimethyl-1,3-propanediamine;

3-(bromoacetyl)-2-imino-4,5-dimethyl-2,3-dihydro-3-furancarbonitrile;

3,5,12-trihydroxy-3-(N-hydroxyethanimidoyl)-10-methoxy-6,11-dioxo-1,2,3,4,6,11-hexahydro-

1-naphthacenyl 3-amino-2,3,6-trideoxyhexopyranoside;

bouvardin;

5-((3-(dimethylamino)propyl)amino)-3,10-dimethylpyrimido[4,5-b]quinoline-2,4(3H,10H)-

dione; and

1-(7-aminoisothiazolo[4,5-d]pyrimidin-3-yl)-1,4-anhydropentitol.

Claims 18-27 (Canceled)

28. (Previously Presented) A process for activating gene transfer of a vector to a cell comprising the steps of:

contacting a cell with a recombinant gene transfer vector; and

administering a gene transfer activating compound to the cell, such that transfer of the vector to the cell is activated:

wherein the gene transfer activating compound is selected from the group consisting of:

wherein Q is nitrogen or oxygen, wherein each occurrence of R^1 independently is H, CH₃, CH₂CH₃ or a nullity, wherein R^2 is C₁-C₁₈ alleyl, C₂-C₁₈ ether, C₂-C₁₈ thioether, C₂-C₁₈ secondary or tertiary amine,

wherein A is

29. (Currently Amended) A process for activating gene transfer of a vector to a cell comprising the steps of:

contacting a cell with a recombinant gene transfer vector; and

administering a gene transfer activating compound to the cell, such that transfer of the vector to the cell is activated:

wherein the gene transfer activating compound is selected from the group consisting of:

NSC73609, NSC82090, NSC101492, NSC102821, NSC106191, NSC108613, NSC109325,

NSC128720, NSC143491, NSC259968, NSC373989 and NSC675865

1-(5-chloro-2-hydroxyphenyl)-3-(3-pyridinyl)-1,3-propanedione;

N-(4-(bis(2-chloroethyl)amino)benzylidene)-1,3-thiazol-2-amine;

2-((4-(bis(2-chloroethyl)amino)benzylidene)amino)benzoic acid;

2-((4-(bis(2-chloroethyl)amino)-2-methylbenzylidene)amino)ethanol;

1-Tetradecylarsonic acid;

4-(4-(bis(2-chloroethyl)amino)phenyl)-N,N-dimethylbutanamide;

N¹-(2-fluoro-9-acridinyl)-N³,N³-dimethyl-1,3-propanediamine;

3-(bromoacetyl)-2-imino-4,5-dimethyl-2,3-dihydro-3-furancarbonitrile;

3,5,12-trihydroxy-3-(N-hydroxyethanimidoyl)-10-methoxy-6,11-dioxo-1,2,3,4,6,11-hexahydro-

1-naphthacenyl 3-amino-2,3,6-trideoxyhexopyranoside;

bouvardin:

Reply to Office Action of January 25, 2008

5-((3-(dimethylamino)propyl)amino)-3,10-dimethylpyrimido[4,5-b]quinoline-2,4(3H,10H)-dione: and

1-(7-aminoisothiazolo[4,5-d]pyrimidin-3-yl)-1,4-anhydropentitol.

Claims 30-35 (Canceled).

 (Currently Amended) A process for determining the efficacy of a putative gene transfer activating compound to activate gene transfer, comprising the steps of:

administering a test compound to a first cell;

contacting the first cell with a first amount of a recombinant vector;

contacting a second cell with a second amount of the recombinant vector, the second amount of the recombinant vector substantially equal to the first amount;

measuring a gene transfer indicator in the first cell to obtain a test measurement;

measuring the gene transfer indicator in the second cell to obtain a control measurement;

and

comparing the test measurement and the control measurement to determine the efficacy of the putative gene transfer activating compound to activate gene transfer; wherein said gene transfer compound is selected from the group consisting of:

wherein Q is nitrogen or oxygen, wherein each occurrence of R^1 independently is H, CH₃.

CH₂CH₃ or a nullity, wherein R^2 is C₁-C₁₈ allyl, C₂-C₁₈ ether, C₂-C₁₈ thioether, C₂-C₁₈ secondary or tertiary amine.

wherein A is

$$X$$
 R^1
 Q
 R^1
 Q
 R^1
 Q
 R^1

wherein \mathbb{R}^3 is H, C_1 – C_6 alkyl, or a heteroatom substituted C_1 – C_6 alkyl where the heteroatom is oxygen, nitrogen, or sulfur, wherein \mathbb{R}^4 is C_2 – C_6 amide, or =N- \mathbb{R}^5 where \mathbb{R}^5 is C_7 – C_{12} aryloxyl, C_1 – C_6 hydronyl, carbonyl, carboxyl, or acyl, imidazyl, pyrazyl, thiazyl, or oxazyl, wherein X is H, F, C1 or B1, wherein Z is oxygen or sulfur.

- 37-39. (Cancelled).
- 40. (Currently Amended) The [[use]] <u>process</u> of claim [[37]] <u>36</u> wherein said gene transfer compound is bouvardin.
 - 41. (Currently Amended) The [[use]] process of claim [[39]] 36 wherein said gene

transfer compound is that of structure I, wherein A is , and Q is nitrogen in each

42. (Currently Amended) The [[use]] <u>process</u> of claim [[39]] <u>36</u> wherein said gene transfer compound is that of structure I, wherein A and each occurrence of Q together are

13

- (Currently Amended) The [[use]] <u>process</u> of claim [[39]] <u>36</u> wherein said gene transfer compound is that of structure II wherein Q is nitrogen and R² is C₁-C₁₈ alkyl.
- 44. (Currently Amended) The [[use]] <u>process</u> of claim [[39]] $\underline{36}$ wherein \mathbb{R}^4 is $=\mathbb{N}-\mathbb{R}^5$.
- 45. (Currently Amended) The [[use]] <u>process</u> of claim [[39]] <u>36</u> wherein X is Cl or Br.
- 46. (Currently Amended) The [[use]] <u>process</u> of claim [[39]] <u>36</u> wherein said gene transfer compound is that of structure III wherein O in each occurrence together are

47. (Currently Amended) The [[use]] $\underline{process}$ of claim [[39]] $\underline{36}$ wherein said gene transfer compound is that of structure II or VII wherein each occurrence of R^1 is H, or CH₃.

14

- 48. (Currently Amended) The [[use]] <u>process</u> of claim [[39]] <u>36</u> wherein said gene transfer compound is that of structure V wherein Q in each occurrence is oxygen.
- 49. (Currently Amended) The [[use]] <u>process</u> of claim [[39]] <u>36</u> wherein said gene transfer compound is that of structure VI wherein Q in each occurrence is oxygen.
 - 50. (Currently Amended) The [[use]] process of claim [[39]] 36 wherein A is

- 51. (Currently Amended) The [[use]] <u>process</u> of claim [[39]] <u>36</u> wherein said gene transfer compound is that of structure VII wherein Q in each non-aromatic substituent occurrence is oxygen.
- (Currently Amended) The [[use]] <u>process</u> of claim [[39]] <u>36</u> wherein R¹ in each occurrence is H.

53. (Currently Amended) The [[use]] process of claim [[39]] 36 wherein said

15

compound is selected from the group consisting of: NSC73609, NSC82090, NSC101492,

NSC102821, NSC106191, NSC108613, NSC109325, NSC128720, NSC143491, NSC259968,

NSC373989 and NSC675865

1-(5-chloro-2-hydroxyphenyl)-3-(3-pyridinyl)-1,3-propanedione;

N-(4-(bis(2-chloroethyl)amino)benzylidene)-1,3-thiazol-2-amine;

2-((4-(bis(2-chloroethyl)amino)benzylidene)amino)benzoic acid;

2-((4-(bis(2-chloroethyl)amino)-2-methylbenzylidene)amino)ethanol;

1-Tetradecylarsonic acid;

4-(4-(bis(2-chloroethyl)amino)phenyl)-N,N-dimethylbutanamide;

N¹-(2-fluoro-9-acridinyl)-N³,N³-dimethyl-1,3-propanediamine;

3-(bromoacetyl)-2-imino-4,5-dimethyl-2,3-dihydro-3-furancarbonitrile:

3,5,12-trihydroxy-3-(N-hydroxyethanimidoyl)-10-methoxy-6,11-dioxo-1,2,3,4,6,11-hexahydro-

1-naphthacenyl 3-amino-2,3,6-trideoxyhexopyranoside;

bouvardin;

5-((3-(dimethylamino)propyl)amino)-3,10-dimethylpyrimido[4,5-b]quinoline-2,4(3H,10H)-

dione; and

1-(7-aminoisothiazolo[4,5-d]pyrimidin-3-yl)-1,4-anhydropentitol.

(Canceled)